

Energy performance certificate (EPC)

16, Warwick Avenue LONDON W2 1XB	Energy rating E	Valid until: 11 September 2027
		Certificate number: 8901-8595-5329-5007-7833

Property type
Semi-detached house

Total floor area
312 square metres

Rules on letting this property


Properties can be let if they have an energy rating from A to E.

You can read [guidance for landlords on the regulations and exemptions](https://www.gov.uk/guidance/domestic-private-rented-property-minimum-energy-efficiency-standard-landlord-guidance) (https://www.gov.uk/guidance/domestic-private-rented-property-minimum-energy-efficiency-standard-landlord-guidance).

Energy efficiency rating for this property

This property’s current energy rating is E. It has the potential to be C.

[See how to improve this property’s energy performance.](https://find-energy-certificate.service.gov.uk/energy-certificate/8901-8595-5329-5007-7833#recommendations) (https://find-energy-certificate.service.gov.uk/energy-certificate/8901-8595-5329-5007-7833#recommendations)



The graph shows this property’s current and potential energy efficiency.

Properties are given a rating from A (most efficient) to G (least efficient).

Properties are also given a score. The higher the number the lower your fuel bills are likely to be.

For properties in England and Wales:

- the average energy rating is D
- the average energy score is 60

Breakdown of property’s energy performance

This section shows the energy performance for features of this property. The assessment does not consider the condition of a feature and how well it is working.

Each feature is assessed as one of the following:

- very good (most efficient)
- good
- average
- poor
- very poor (least efficient)

When the description says “assumed”, it means that the feature could not be inspected and an assumption has been made based on the property’s age and type.

Feature	Description	Rating
Wall	Solid brick, as built, no insulation (assumed)	Very poor
Wall	Cavity wall, as built, insulated (assumed)	Good
Roof	Pitched, no insulation (assumed)	Very poor

Feature	Description	Rating
Roof	Pitched, no insulation	Average
Roof	Roof room(s), no insulation (assumed)	Very poor
Window	Partial double glazing	Poor
Main heating	Boiler and radiators, mains gas	Good
Main heating control	Programmer, room thermostat and TRVs	Good
Hot water	From main system, no cylinder thermostat	Average
Lighting	Low energy lighting in 51% of fixed outlets	Good
Floor	Solid, no insulation (assumed)	N/A
Floor	Solid, limited insulation (assumed)	N/A
Secondary heating	None	N/A

Primary energy use

The primary energy use for this property per year is 254 kilowatt hours per square metre (kWh/m2).

► [What is primary energy use?](#)

Environmental impact of this property

This property’s current environmental impact rating is E. It has the potential to be D.

Properties are rated in a scale from A to G based on how much carbon dioxide (CO2) they produce.

Properties with an A rating produce less CO2 than G rated properties.

An average household produces

6 tonnes of CO2

This property produces

14.0 tonnes of CO2

This property’s potential production

6.9 tonnes of CO2

By making the [recommended changes \(https://find-energy-certificate.service.gov.uk/energy-certificate/8901-8595-5329-5007-7833#recommendations\)](https://find-energy-certificate.service.gov.uk/energy-certificate/8901-8595-5329-5007-7833#recommendations), you could reduce this property’s CO2 emissions by 7.1 tonnes per year. This will help to protect the environment.


Environmental impact ratings are based on assumptions about average occupancy and energy use. They may not reflect how energy is consumed by the people living at the property.

Improve this property’s energy performance

By following our step by step recommendations you could reduce this property’s energy use and potentially save money.

Carrying out these changes in order will improve the property’s energy rating and score from E (53) to C (76).

▶ [Do I need to follow these steps in order?](#)



Step 1: Flat roof or sloping ceiling insulation

Typical installation cost

£850 - £1,500

Typical yearly saving

£62

Potential rating after completing step 1

54 | E

Step 2: Room-in-roof insulation

Typical installation cost

£1,500 - £2,700

Typical yearly saving

£297

Potential rating after completing steps 1 and 2

59 | D

Step 3: Internal or external wall insulation

Typical installation cost

£4,000 - £14,000

Typical yearly saving

£560

Potential rating after completing steps 1 to 3

68 | D

Step 4: Draught proofing

Typical installation cost

£80 - £120

Typical yearly saving

£29

Potential rating after completing steps 1 to 4

68 | D

Step 5: Low energy lighting

Typical installation cost

£160

Typical yearly saving

£49

Potential rating after completing steps 1 to 5

69 | C

Step 6: Hot water cylinder thermostat

Typical installation cost

£200 - £400

Typical yearly saving

£104

Potential rating after completing steps 1 to 6

71 | C

Step 7: Double glazed windows

Replace single glazed windows with low-E double glazed windows

Typical installation cost	£3,300 - £6,500
Typical yearly saving	£93


Potential rating after completing steps 1 to 7



Step 8: Solar photovoltaic panels, 2.5 kWp

Typical installation cost	£5,000 - £8,000
Typical yearly saving	£281

Potential rating after completing steps 1 to 8



Paying for energy improvements

You might be able to get a grant from the [Boiler Upgrade Scheme \(https://www.gov.uk/apply-boiler-upgrade-scheme\)](https://www.gov.uk/apply-boiler-upgrade-scheme). This will help you buy a more efficient, low carbon heating system for this property.

Estimated energy use and potential savings

Based on average energy costs when this EPC was created:

Estimated yearly energy cost for this property	£2820
Potential saving if you complete every step in order	£1195

The estimated cost shows how much the average household would spend in this property for heating, lighting and hot water. It is not based on how energy is used by the people living at the property.

Heating use in this property

Heating a property usually makes up the majority of energy costs.

Estimated energy used to heat this property

Type of heating	Estimated energy used
Space heating	48950 kWh per year
Water heating	3735 kWh per year

Potential energy savings by installing insulation

Type of insulation	Amount of energy saved
Loft insulation	2604 kWh per year
Solid wall insulation	11152 kWh per year

Saving energy in this property

[Find ways to save energy in your home \(https://www.gov.uk/improve-energy-efficiency\)](https://www.gov.uk/improve-energy-efficiency).

Contacting the assessor and accreditation scheme

This EPC was created by a qualified energy assessor.

If you are unhappy about your property’s energy assessment or certificate, you can complain to the assessor directly.

If you are still unhappy after contacting the assessor, you should contact the assessor’s accreditation scheme.

Accreditation schemes are appointed by the government to ensure that assessors are qualified to carry out EPC assessments.

Assessor contact details

Assessor’s name

Henrietta Vaszilko

Telephone

02039056099

Email

savenergy@virginmedia.com

Accreditation scheme contact details

Accreditation scheme

Stroma Certification Ltd

Assessor ID

STRO031318

Telephone

0330 124 9660

Email

certification@stroma.com

Assessment details**Assessor's declaration**

No related party

Date of assessment

1 August 2017

Date of certificate

12 September 2017

Type of assessment

► [RdSAP](#)

Other certificates for this property

If you are aware of previous certificates for this property and they are not listed here, please contact us at dluhc.digital-services@levellingup.gov.uk or call our helpdesk on 020 3829 0748 (Monday to Friday, 9am to 5pm).

There are no related certificates for this property.